









FLEXA 25

[ES] - EQUIPO INVERTER DE CONDUCTOS CIRCULARES ZONIFICADO CON CONTROL VMC HASTA 8 ZONAS

[EN] - ZONED INVERTER UNIT WITH CIRCULAR DUCT AND CMV CONTROL UP TO 8 ZONES

[PT] - UNIDADE INVERTER DE CONDUTAS CIRCULARES ZONIFICADA COM CONTROLO VMC ATÉ 8 ZONAS

[FR] - UNITÉ GAINABLE INVERTER FLEXIBLE AVEC RÉGULATION MULTIZONE ET CONTRÔLE DELA VMC JUSQU'À 8 ZONES

[IT] - UNITÀ CANALIZZATA AD ESPANSIONE DIRETTA CON CONDOTTO FLESSIBILE E CONTROLLO DI UNITÁ VMC FINO A 8 ZONE

[DE] - ZONIERTER RUNDKANAL-INVERTER MIT VMC-REGELUNG FÜR BIS ZU 8 ZONEN

|                                               | ESPAÑOL [ES]                                                                                                                                                                  | ENGLISH [EN]                                                                                                                         | PORTUGUÊS [PT]                                                                                                                                                    |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AZC25PCB1IAQCW                                | PACK CENTRAL FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ SENSOR + CABLE BUS 15M + MEDIDOR DE CONSUMO                                                                             | PACK MAIN BOARD FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ SENSOR + BUS CABLE 15M + ELECTRIC METER                                     | PACK CENTRAL FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ SENSOR + CABO DE BARRAMENTO 15M + MEDIDOR DE CONSUMO                                                        |
| AZCE6BLUEZEROC[X]                             | TERMOSTATO AIRZONE BLUEFACE ZERO [COLOR]                                                                                                                                      | AIRZONE BLUEFACE ZERO [COLOUR] THERMOSTAT                                                                                            | TERMOSTATO BLUEFACE ZERO [COR] AIRZONE                                                                                                                            |
| AZCE6THINKR[X]                                | TERMOSTATO AIRZONE THINK RADIO [COLOR]                                                                                                                                        | AIRZONE THINK [COLOUR] THERMOSTAT WIRELESS                                                                                           | TERMOSTATO RADIO THINK [COR] AIRZONE                                                                                                                              |
| AZCE6LITE[C/R][X]                             | TERMOSTATO AIRZONE LITE [CABLE/RADIO] [COLOR]                                                                                                                                 | AIRZONE LITE [COLOUR] THERMOSTAT [WIRED/WIRELESS]                                                                                    | TERMOSTATO [CABO/RADIO] LITE [COR] AIRZONE                                                                                                                        |
| AZX8GTC[XXX] / AZX6GTC[XXX] / AZX6QADAPT[XXX] | PASARELA DE COMUNICACIONES                                                                                                                                                    | GATEWAY                                                                                                                              | GATEWAY COMUNICAÇÕES                                                                                                                                              |
| CPCC[XXX]MTEION                               | COMPUERTA MOTORIZADA AIRZONE CON IONIZACIÓN PARA CONDUCTO CIRCULAR [DIÁMETRO]                                                                                                 | AIRZONE MOTORIZED DAMPER WITH IONIZATION FOR ROUND DUCT [SIZE]                                                                       | REGISTO MOTORIZADO AIRZONE COM IONIZAÇÃO PARA CONDUCTA CIRCULAR [TAMANHO]                                                                                         |
| NOTES                                         | 1- Verifique el fabricante de la unidad interior para seleccionar el modelo de la pasarela<br>2- La distancia máxima para la conexión del cable de la pasarela es de 5 metros | 1- Check indoor unit manufacturer to select the correct gateway model<br>2- Maximum distance for gateway cable connectio is 5 meters | 1- Verifique o fabricante da unidade interna para selecionar o modelo de gateway correto<br>2- A distância máxima para a conexão do cabo do gateway é de 5 metros |

|                                               | FRANÇAIS [FR]                                                                                                                                                                           | ITALIANO [IT]                                                                                                                                                              | DEUTSCH [DE]                                                                                                                                                               |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AZC25PCB1IAQCW                                | PACK PLATINE FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ CAPTEUR + 2 CÂBLE BUS 15M + COMPTEUR DE CONSOMMATION                                                                              | PACK SCHEDA CENTRALE FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ SENSORE + 2 CAVO COLLEGAMENTO 15M + CONTATORE DEL CONSUMATORE                                                | PACK SYSTEMZENTRALE FLEXA 25 + WEBSERVER [AZX8WSIBWF] + AIRQ RAUMLUFTQUALITÄTSFÜHLER + 2 BUS-KABEL 15M + VERBRAUCHSZÄHLER                                                  |
| AZCE6BLUEZEROC[X]                             | THERMOSTAT [COULEUR] AIRZONE BLUEFACE ZERO                                                                                                                                              | TERMOSTATO [COLORE] AIRZONE BLUEFACE ZERO                                                                                                                                  | AIRZONE BLUEFACE ZERO [FARBE] THERMOSTAT                                                                                                                                   |
| AZCE6THINKR[X]                                | THERMOSTAT [COULEUR] AIRZONE THINK RADIO                                                                                                                                                | TERMOSTATO RADIO THINK [COLOR] AIRZONE                                                                                                                                     | AIRZONE THINK [FARBE] THERMOSTAT FUNK                                                                                                                                      |
| AZCE6LITE[C/R][X]                             | THERMOSTAT [COULEUR] AIRZONE LITE [FILAIRE/RADIO]                                                                                                                                       | TERMOSTATO [CAVO/RADIO] LITE [COLORE] AIRZONE                                                                                                                              | AIRZONE LITE [FARBE] THERMOSTAT [VERKABELT/FUNK]                                                                                                                           |
| AZX8GTC[XXX] / AZX6GTC[XXX] / AZX6QADAPT[XXX] | PASSERELLE DE COMMUNICATION                                                                                                                                                             | INTERFACCIA DI COMUNICAZIONE                                                                                                                                               | KOMMUNIKATIONS GATEWAY                                                                                                                                                     |
| CPCC[XXX]MTEION                               | REGISTRE MOTORISE AIRZONE AVEC IONISATION POUR GAINÉ CIRCULAIRE [TAILLE]                                                                                                                | SERRANDA MOTORIZZATA AIRZONE CON IONIZZAZIONE PER CONDOTTO CIRCOLARE [DIMENSIONE]                                                                                          | AIRZONE MOTORISCHE Klappe MIT IONISIERUNG FÜR RUNDE LUFTKANÄIE [GRÖSSE]                                                                                                    |
| NOTES                                         | 1- Vérifiez le fabricant de l'unité intérieure pour sélectionner le modèle de passerelle correct<br>2- La distance maximale pour la connexion du câble de la passerelle est de 5 mètres | 1- Verificare il produttore dell'unità interna per selezionare il modello della interfaccia<br>2- La distanza massima per la connessione del cavo del gateway è di 5 metri | 1- Überprüfen Sie den Hersteller des Innengeräts, um das richtige Gateway-Modell auszuwählen<br>2- Die maximale Entfernung für die Gateway-Kabelverbindung beträgt 5 Meter |

| ÍNDICE / INDEX / ÍNDICE / INDEX / INDICE / INHALT |                              |                          |                               |                                |                                 |                                 |
|---------------------------------------------------|------------------------------|--------------------------|-------------------------------|--------------------------------|---------------------------------|---------------------------------|
| PAG.                                              | ESPAÑOL [ES]                 | ENGLISH [EN]             | PORTUGUÊS [PT]                | FRANÇAIS [FR]                  | ITALIANO [IT]                   | DEUTSCH [DE]                    |
| 1                                                 | ESQUEMA DE INSTALACIÓN       | WIRING DIAGRAM           | ESQUEMA DE INSTALAÇÃO         | SCHÉMA D'INSTALLATION          | SCHEMA D' INSTALLAZIONE         | INSTALLATIONSVERBINDUNGS SCHEMA |
| 2                                                 | ESQUEMA DETALLADO            | DETAIL DIAGRAM           | ESQUEMA DETALHADO             | SCHÉMA DE DÉTAIL               | SCHEMA DI DETTAGLIO             | DETAIL-DIAGRAMM                 |
| 3                                                 | HOJA DE REFERENCIA / LEYENDA | REFERENCE SHEET / LEGEND | FOLHA DE REFERÊNCIA / LEGENDA | FEUILLE DE RÉFÉRENCE / LÉGENDE | FOGLIO DI RIFERIMENTO / LEGENDA | REFERENZBLATT / LEGENDE         |